

Interaction between the amount of dietary protein and the environmental temperature on the expression of browning markers in adipose tissue of rats.

Alemán G, Castro AL, Vigil-Martínez A, Torre-Villalvazo I, Díaz-Villaseñor A, Noriega LG, Medina-Vera I, Ordáz G, Torres N, Tovar AR.

Genes Nutr. 2019 Jun 4;14:19. doi: 10.1186/s12263-019-0642-x. eCollection 2019.

Genistein increases the thermogenic program of subcutaneous WAT and increases energy expenditure in mice. Berenice Palacios-González, Ariana Vargas-Castillo, Laura Alejandra Velázquez-Villegasa, Sarai Vasquez-Reyes, Patricia López, Lilia G. Noriega, Gabriela Alemán, Claudia Tovar-Palacio, Iván Torre-Villalvazo, Li-Jun Yang, Angel Zarain-Herzberg, Nimbe Torres, Armando R. Tovar.

Natural and artificial sweeteners and high fat diet modify differential taste receptors, insulin, and TLR4-mediated inflammatory pathways in adipose tissue of rats. Sánchez-Tapia M, Martínez-Medina J, Tovar AR, Torres N. Nutrients. 2019 Apr 19; 11(4). Doi:10.3390/nu11040880.

Genistein increases the thermogenic program. Palacios-González B, Vargas-Castillo A, Velázquez-Villegas LA, Vasquez-Reyes S, López P, Noriega LG, Aleman G, Tovar-Palacio C, Torre-Villalvazo I, Yang LJ, Zarain-Herzberg A, Torres N, Tovar AR

Development of a genetic score to predict an increase in HDL cholesterol concentration after a dietary intervention in adults with metabolic syndrome. Guevara-Cruz M, Medina-Vera I, Flores-López A, Aguilar-López M, Smith CE, Parnell LD, Lee YC, Lai CQ, Tovar AR, Ordovás JM, Torres N. J Nutr. 2019 May 9. Doi: 10.1093/jn/nxz060.

Nutrigenomics as a tool in the prevention of lipotoxicity: The case of soy protein. Rev Invest Clin. 2019; 71. Nimbe Torres, Ivan Torre-Villalvazo, Armando R Tovar.

Microbiome-MX 2018: microbiota and microbiome opportunities in Mexico, a megadiverse country. Fernanda Cornejo-Granados, Ana María Calderón de la Barca, Nimbe Torres, Esperanza Martínez-Romero, Javier Torres, Yolanda López-Vidal, Xavier Soberón, Laila P. Partida-Martínez, Sandra Pinto-Cardoso, Luis David Alcaraz, Liliana Pardo-López, Samuel Canizalez-Quinteros, José Luis Puente, Adrian Ochoa-Leyva. Reserach in Microbiology. 2019 Mar 25. pii: S0923-2508(19)30033-6. <https://doi.org/10.1016/j.resmic.2019.03.001>

Bioactive food abates metabolic and synaptic alterations by modulation of gut microbiota in a mouse model of Alzheimer's disease. J Tauqueerunnisa Syeda, Mónica Sánchez-Tapia, Laura Pinedo-Vargas, Omar Granados, Daniel Cuervo-Zanatta, Eleazar Rojas, Sofia Díaz-Cintra, Nimbe Torres, Claudia Pérez. Alzheimer Dis. 2018, vol 66, 1657-1682.

A dietary intervention with functional foods reduces metabolic endotoxemia and attenuates biochemical abnormalities by modifying the fecal microbiota in subjects with type 2 diabetes. Isabel Medina Vera, Mónica Sánchez Tapia, Lilia Noriega-López, Omar Granados-Portillo, Martha Guevara Cruz, Adriana Flores-López, Azalia Avila-Nava, Maria Luz Fernández, Armando R. Tovar, Nimbe Torres. Diabetes Metab (2018) <https://doi.org/10.1016/j.diabet.2018.09004>

Long term consumption modifies gut microbiota, improving glucose metabolism, metabolic endotoxemia and cognitive function in mice fed a high fat diet.

Patricia Lopez; Monica Sanchez; Claudia Perez-Cruz; Laura A.

Velazquez-Villegas; Tauqueerunnisa Syeda; Miriam Aguilar-Lopez, Ana K. Rocha-Viggiano; Maria del Carmen Silva-Lucero; Ivan Torre-Villalvazo; Lilia G. Noriega; Nimbe Torres; Armando R.Tovar.

Interaction between leucine and palmitate catabolism in 3T3-L1 adipocytes and primary adipocytes from control and obese rats. Daniela Salinas-Rubio, Armando R.Tovar, Ivan Torre, Omar Granados, Nimbe Torres, Jose Pedraza, Lilia Noriega. Journal of Nutritional Biochemistry, 2018. <https://doi.org/>

10.1016/j.jnutbio.2018.05.011: FI:4.518.

Inactivation of SPAK kinase reduces body weight gain in mice fed a high-fat diet by improving energy expenditure and insulin sensitivity. Ivan Torre-Villalvazo, Luz Graciela Cervantes-Pérez, Lilia G. Noriega, Jose V. Jimenez, Norma Uribe, Maria Chávez-Canales, Claudia Tovar-Palacio, Braulio A. Marfil-Garza, Nimbe Torres, Norma A. Bobadilla, Armando R Tovar and Gerardo Gamba. Am J Physiol Endocrinol Metab 314: E53-E65, 2018; doi: 10.1152/ajpendo.00108.2017. FI 4.2

Adiponectin synthesis and secretion by subcutaneous adipose tissue is impaired during obesity by endoplasmic reticulum stress. Ivan Torre-Villalvazo, Ana E. Bunt, Gabriela Aleman, Claudia C Marquez-Mota, Andrea Diaz-Villaseñor, Lilia G Noriega, Isabela Estrada, Elizabeth Figueiroa-Juarez, Claudia Tovar-Palacio, Leonardo Rodriguez-López, Patricia López-Romero, Nimbe Torres, Armando R Tovar. <https://doi.org/10.101002/jcb.26794>. Journal of Cellular Biochemistry. IF 3.085. ISSN: 1097-4644(online).

Amino acid profiles of young adults differ by sex, body mass index and insulin resistance. M Guevara, J Vargas, A. Méndez, A Lopez, O Granados, G Ordaz, A. Rocha, A Gutierrez, E Medina, J Rosado, N Torres, AR Tovar, L Noriega. Nutritio, Metabolism and Cardiovascular Diseases 3.679. ISSN 0939-4753.

Differential Effect of Sucrose and Fructose in Combination with a High Fat Diet on Intestinal Microbiota and Kidney Oxidative Stress. Adriana Rosas-Villegas, Mónica Sánchez-Tapia, Azalia Avila-Nava, Victoria Ramírez, Armando R. Tovar and Nimbe Torres, *Nutrients* 2017, 9(4), 393; doi:10.3390/nu9040393 (registering DOI)

Nopal (*Opuntia ficus indica*) protects from metabolic endotoxemia by modifying gut microbiota in obese rats fed high fat/sucrose diet. Mónica Sánchez-Tapia, Miriam Donovan, Armando R Tovar, Nimbe Torres. Sci Reports, julio 2017. Doi: 10.1038/s41598-017-05096-4

Development and validation of new predictive equation for resting energy expenditure in adults with overweight and obesity. Ximena Orozco-Ruiz, Edgar Pichardo-Ontiveros, Armando R Tovar, Nimbe Torres, Isabel Medina-Vera, Federica Prinelli, Claudio L. Lafontuna, Martha Guevara-Cruz. Clinical Nutrition. FI 3.41. <https://doi.org/10.1016/j.clnu.2017.10.022>.

Understanding the Biology of thermogenic fat: Is browning a new approach to the treatment of obesity? Ariana Vargas-Castillo, Rebeca Fentes-Romero, Leonardo A. Rodriguez-López, Nimbe Torres, Armando R. Tovar. Archives of Medical Research 48(2017), 401-413. FI 2.718. ISSN: 0188-4409.

Recycling of glucagon receptor to plasma membrane increases in adipocytes of obese rats by soy protein; implications for glucagon resistance. Laura A Velázquez-Villegas, Claudia Tovar, Berencie Palacios, Nimbe Torres, Armando R Tovar, Andrea Díaz. Mol Nutr Food Res. DOI 10.1002/mnfr.201700116. FI 4.909. ISSN: 1613-4133.

Nopal feeding reduces adiposity, intestinal inflammation and shifts the cecal microbiota and metabolism in high-fat fed rats. Sofia Moran, Xuan He, Elizabeth Chin, Armando R Tovar, Nimbe Torres, Carolyn Slupsky, Helen E Raybould. Plos one acepatdo 2017. FI=3.23, ISSN 1932-6203

Clinical, functional, behavioural and epigenomic biomarkers linked to obesity and related metabolic abnormalities. Claudio L Lafontuna, Armando R Tovar, Favio Rastelli, Sarah A Tabozzi, Martina Caramenti, Ximena Orozco Ruiz, Miriam Aguilar López, Martha Guevara Cruz, Azalia Avila Nava, Nimbe Torres, Gloria Bertoli. Frontiers in biosciences, aceptado 2017. FI 2.484, ISSN: 1093-4715 (electronic)

Food combination based on a prehispanic Mexican diet decreases metabolic and cognitive abnormalities and gut microbiota dysbiosis caused by a sucrose-enriched high fat diet in rats. Avila-Nava Azalia, Noriega LG, Tovar AR, Granados O, Perez-Cruz C, Pedraza-Chaverri José and Torres Nimbe. Molecular Nutrition and Food Research, 2017. FI= 4.551, online ISSN: 1613-4133

<p>Metabolic fate of branched-chain amino acids during adipogenesis in adipocytes from obese mice and C2C12 myotubes. Isabela Estrada-Alcalde, Miriam R Tenorio Guzman, Armando R Tovar, Daniela Salinas Rubio, Ivan Torre-Villalvazo, Nimbe Torres, Lila G Noriega. <i>J Cell Biochem</i> 2016. FI= 3.446, ISSN 1097-4644(on line)</p>
<p>PPARα downregulates hepatic glutaminase expression in mice fed with different protein/carbohydrate ratios. <i>J Nutr.</i> 146(9):1634-40, 2016. Laura A. Velázquez-Villegas, Tania Charabati, Alejandra V. Contreras, Gabriela Alemán, Nimbe Torres, Armando R. Tovar. FI=3.91, ISSN 0022-3166</p>
<p>Autologous subcutaneous adipose tissue transplants improve adipose tissue metabolism and reduce insulin resistance and fatty liver in diet-induced obesity rats. <i>Physiol Rep.</i> Sep;4(17). pii: e12909. doi: 10.14814/phy2.12909, 2016. Gonzalo Torres-Villalobos, Nashla Hamdan-Pérez, Andrea Díaz-Villaseñor, Armando R. Tovar, Iván Torre-Villalvazo, Guillermo Ordaz-Nava, Sofía Morán-Ramos, Lilia G. Noriega, Braulio Martínez-Benítez, Alejandro López-Garibay, Samuel Torres-Landa, Juan Carlos Ceballos-Cantú, Marcia Hiriart, Roberto Medina-Santillán, María del Carmen Castillo-Hernández, and Nimbe Torres. FI= 1.61, ISSN 2051-817X</p>
<p>Insulin and SGK1 reduce the function of Na⁺/Monocarboxylate Transporter 1(SMCT1/SLC5A8). <i>Am. J. Physiol. Cell Physiol.</i> 311(5), C720-C734, 2016. Adriana López, Tania González-Cid, Norma Vázquez, Kambiz Zandi-Nejad, David B Mount, Nimbe Torres, Armando R Tovar, Michael F Romero, Gerardo Gamba, Consuelo Plata. FI= 3.395 ISSN: 0363-6143</p>
<p>Hypocholesterolemic properties and prebiotic effects of 2 extracts of Mexican Ganoderma lucidum in C57BL/6 mice. María E. Meneses, Daniel Martínez-Carrera, Nimbe Torres, Mónica Sánchez-Tapia, Miriam Aguilar-López, Porfirio Morales, Mercedes Sobal, Teodoro Bernabé, Helios Escudero, Omar Granados-Portillo, Armando R. Tovar. <i>PLoS One.</i> Jul 20;11(7):e0159631. doi: 10.1371/journal.pone.0159631. eCollection, 2016. FI=3.23, ISSN 1932-6203</p>
<p>The mTORC1-Signaling Pathway and Hepatic Polyribosome Profile Are Enhanced after the Recovery of a Protein Restricted Diet by a Combination of Soy or Black Bean with Corn Protein Claudia C. Márquez-Mota· Cinthya Rodriguez-Gaytan· Pauline Adjibade· Rachid Mazroui· Amanda Gálvez· Omar Granados· Armando R. Tovar and Nimbe Torres <i>Nutrients</i> 2016, 8(9), 573; doi:10.3390/nu8090573</p>
<p>Food combination based on a pre-hispanic Mexican diet decreases metabolic and cognitive abnormalities and gut microbiota dysbiosis caused by a sucrose-enriched high-fat diet in rats. Azalia Avila-Nava, Lilia G. Noriega, Armando R. Tovar, Omar Granados, Claudia Pérez-Cruz, José Pedraza-Chaverri and Nimbe Torres Version of Record online: 8 AUG 2016 DOI: 10.1002/mnfr.201501023</p>
<p>Aguamiel concentrate from <i>Agave salmiana</i> and its extracted saponins attenuated obesity and hepatic steatosis and increased <i>Akkermansia muciniphila</i> in C57BL6 mice. Ana María Leal-Díaz, Lilia G. Noriega, Ivan Torre-Villalvazo, Nimbe Torres, Gabriela Alemán-Escondrillas, Patricia López-Romero, Mónica Sánchez-Tapia, Miriam Aguilar-López, Janette Furuzawa-Carballeda, Laura A. Velázquez-Villegas, Azalia Avila-Nava, Guillermo Ordáz, Janet A. Gutiérrez-Uribe, Sergio O. Serna-Saldivar, Armando R. Tovar. <i>Scientific Reports</i> 6, Article number: 34242 (2016) doi:10.1038/srep34242</p>

Jatropha curcas protein concentrate stimulates insulin signaling, lipogenesis, protein synthesis and the PKCa pathway in rat liver. Liliana León-López, Claudia C. Márquez-Mota, Laura A. Velázquez-Villegas, Amanda Gálvez-Mariscal, Daniel Arrieta-Báez, Gloria Dávila-Ortiz, Armando R. Tovar, Nimbe Torres. Plant Foods Hum Nutr (2015) 70:351-356.

Combined high- fat diet and sustained high sucrosenconsumption promotes NAFLD in a murine model. Gonzalo Torres, Nashla Hamdan, Armando R Tovar, Guillermo Ordaz, Braulio Martínez, Iván Torres, Sofía Morán, Andrea Díaz, Lilia Noriega, Marcia Hiriart, Roberto Medica, María del C Castillo, Nahum Méndez, Misael Uribe, Nimbe Torres. Annals of Hepatology jul-aug vol 14 no 4 2015:

PPAR α via HNF4a regulates the expression of genes encoding hepatic amino acid catabolizing enzymes to maintain metabolic homeostasis. Alejandra Contreras, Claudia Rangel, Nimbe Torres, Gabriela Alemán, Victor Ortiz, Lilia Noriega, Ivan Torre, Omar Granados, Laura velazquez, Sandra Tobón, Diana González, Félix Recillas, Elizabeth Tejero, Frank González, Armando R Tovar, Genes Nutr 2015, 10:3

Omental adipose tissue gene expression, gene variants, branched-chain amino acids, and their relationship with metabolic syndrome and insulin resistance in humans. Aurora E. Serralde-Zúñiga, Martha Guevara-Cruz, Armando R. Tovar, Miguel F. Herrera-Hernández, Lilia G. Noriega, Omar Granados, Nimbe Torres. Genes Nutr 2014, 9(6): 431.

A genetic variant of the CAPN10 gene in Mexican subjects with dyslipidemia is associated with increased HDL-cholesterol concentrations after the consumption of a soy protein and soluble fiber dietary portfolio. Martha Guevara, Nimbe Torres, Armando R Tovar, Elizabeth Tejero, Ashley Castellanos, Laura del Bosque. Nutr Hosp 2014; 30 (3): 671-677.

Extract of cactus (*Opuntia ficus indica*) cladodes scavenges reactive oxygen species in vitro and enhances plasma antioxidant capacity in humans. Azalia Avila-Nava, Mariel Calderon Oliver, Omar N Medina, Liwei Gu, Nimbe Torres, Armando R Tovar, Jose Pedraza-Chaverri. Journal of Functional Foods 10(2014) 13-24.

Flavonoids and saponins extracted from black bean (*Phaseolus vulgaris L.*) seed coats modulate lipid metabolism and biliary cholesterol secretion in C57BL/6 mice. Rocio A. Chavez-Santoscoy, Janet A. Gutierrez-Uribe, Ivan Torre, Omar Granados Sergio O. Serna-Saldivar, Nimbe Torres, Berencie Palacios, Armando R. Tovar. British Journal of Nutrition, 2014, 112, 886-899.

The effect of nopal (*Opuntia ficus indica*) on postprandial blood glucose, incretins, and antioxidant activity in Mexican patients with type 2 diabetes after the consumption of two different composition breakfasts. Patricia López-Romero, Edgar Pichardo-Ontiveros, Azalia Avila-Nava, Natalia Vázquez-Manjarrez, Armando R. Tovar, José Pedraza-Chaverri, Nimbe Torres. J Acad Nutr Diet. 2014; 114: 1811-1818.

Soya protein stimulates bile acid excretion by the liver and intestine through direct and indirect pathways influenced by the presence of dietary cholesterol. Leticia Arellano-Martinez, Omar Granados, Berenice Palacios, Nimbe Torres, Isabel Medina, Armando R. Tovar. British Journal of Nutrition (2014) vol 111 pag 2059-2066.

Transcriptional regulation of the sodium-coupled neutral amino acid transporter (SNAT2) by 17b-estradiol. Laura A. Velázquez-Villegas, Victor Ortiz, Anders Ström, Nimbe Torres, David A. Engler, Risë Matsunami, David Ordaz, Rocio Garcia, Adriana López, Fernando Larrea, Jan-Ake Gustafsson, Armando R Tovar. PNAS august5, 2014.vol 111, no 31: 11443-11448.

<p>Genistein stimulates fatty acid oxidation in a leptin receptor-independent manner through the JAK2-mediated phosphorylation and activation of AMPK in skeletal muscle. Berenice Palacios-González , Angel Zarain-Herzberg, Isabel Flores-Galicia, Lilia G. Noriega, Gabriela Alemán-Escondrillas, Teresa Zariñan, Alfredo Ulloa-Aguirre, Nimbe Torres, Armando R. Tovar. <i>Biochimica et Biophysica Acta</i> 1841 (2014) 132-140</p>
<p>Conjugated and free sterols from black bean (<i>Phaseolus vulgaris</i> L.) seed coats as cholesterol micelle disruptors and their effect on lipid metabolism and cholesterol transport in rat primary hepatocytes. Rocio A. Chavez-Santoscoy, Armando R. Tovar Sergio O. Serna-Saldivar, Nimbe Torres, Janet A. Gutierrez-Uribe <i>Genes Nutr</i> (2014) 9:367. DOI10.1007/s12263-013-0367-8. 2014 Jan;9(1):367.</p>
<p>The dietary protein/carbohydrate ratio differentially modifies lipogenesis and protein synthesis in the mammary gland, liver and adipose tissue during gestation and lactation. Plos One. Laura Velazquez, Armando Tovar, Nimbe Torres, July 2013, vol 8, issue 7, pp e69338</p>
<p>Effect of a GFOD2 variant on responses in total and LDL cholesterol in Mexican subjects with hypercholesterolemia after soy protein and soluble fiber supplementation Martha Guevara, Chao-Qiang, Kris Richardson. Laurence Parnell, Yu Chi Lee, Armando R Tovar, Jose Ordovás, Nimbe Torres. <i>Gene</i> 532 (2013) 211-215.</p>
<p>The renin-angiotensin system in adipose tissue and its metabolic consequences during obesity. Ma E Frigolet, Nimbe Torres, Armando R Tovar. <i>J Nutr Biochem</i>, 2013 vol 24 (12) 2003-2015.</p>
<p>Differential modulation of the functionality of white adipose tissue of obese Zucker (fa/fa) rats by the type of protein and the amount and type of fat Andrea Díaz-Villaseñor, Omar Granados, Berenice González-Palacios, Claudia Tovar-Palacio, Ivan Torre-Villalvazo, Verónica Olivares-García, Nimbe Torres, Armando R. Tovar, <i>J Nutritional Biochemistry</i> 24, 1798-1809, 2013</p>
<p>Hepatic amino acid-degrading enzyme expression is downregulated by natural and synthetic ligands of PPARα in rats. Gabriela Alemán, Victor Ortiz, Alejandra V Contreras, Gabriela Quiroz, Guillermo Ordaz-Nava, Elizabeth Langley, Nimbe Torres, Armando R Tovar. <i>J Nutr</i> 143:1211-1218, 2013.</p>
<p><i>Opuntia ficus indica</i> (nopal) attenuates hepatic steatosis and oxidative stress in obese Zucker (fa/fa) rats. Sofía Morán-Ramos, Azalia Avalia-Nava, Armando R Tovar, José Pedraza-Chaverri⁵ Patricia López-Romero, Nimbe Torres. <i>J Nutrition</i> in press 2012. November vol 142 no 11: 1956-1963.</p>
<p>Soy protein isoflavones differentially regulate liver X receptor isoforms to modulate lipid metabolism and cholesterol transport in the liver and intestine in mice. González-Granillo M, Steffense KT, Granados O, Torres N, Korach-André M, Ortiz V, Aguilar-Salinas C, Jakobsson T, Díaz-Villaseñor A, Loza-Valdes A, Hernández-Pando R, Gustafsson JA, Tovar AR. <i>Diabetologia</i> 2012 sep; 55(9):2469-78.</p>